



ROLL-LABEL PACK-OUT SPEC SHEET FOR AUTO-APPLIED LABELS

Customer name: _____ Project name: _____

- **Unwind position:** _____ (see roll unwind chart below)
- **Core size:** _____ (3" is standard)
- **Outer roll diameter:** _____ (8" is common for hand / 12-18" common for machine)
- **Max # of splices per roll:** _____ (standard is max of 3 per roll—fewer splices costs more)
- **Splice* tape color:** _____ (clear is standard; red or blue is optional)
Splice position: _____ (horizontal to web is standard; diagonal is optional)
Splice location: _____ (front of web; back of web; or both)
- **Pallet size if not standard:** _____ (standard is 48" x 40" pallets / max 40 lb.boxes)
- **Polybag required?** _____ (extra cost to pack each roll to keep dust off rolls)
- **Core plugs needed?** _____ (typically for label rolls less than 2" wide)
- **Layer boards needed:** _____ (paperboard layers between rolls in the box)
- **Roll-end fasten to core:** _____ (taped or glued?)
- **Roll-end type:** _____ (release from core or lock-up and bind to core?)
- **Special box markings?** _____ (for example, bar codes, lot codes, matrix codes)
- **Any packaging spec documents?** _____ If yes, please email along with this document.

*a splice is where 2 pieces of a roll web are connected together with tape to make rolls a consistent full size



Your automatic label applicator sensor type will determine your label liner splice placement and color:

